

STABLE QUALITY
ACTIVE INNOVATION
GOOD REPUTATION



New Arrivals for 2025-2026

A WONDERFUL LIFE FROM HERE



www.altacha-hg.com

Ningbo Alltech Industry & Trade Co., Ltd.





WHO WE ARE?



Ningbo Alltech Industry & Trade Co., Ltd., established in 2004, and is located in Ningbo, Zhejiang, China, adjacent to Beilun Port, which provides efficient export logistics. Our headquarters is in close proximity to Ningbo Railway Station and merely a 15-minute drive from Ningbo Lishe International Airport. Mr. James, the founder of the company, has accumulated over 30 years of comprehensive experience in the small household appliance industry, especially in the field of cleaning appliances. Mr. James and his team can provide high-efficiency and professional technical services as well as problem-solving solutions for our clients. We have cultivated enduring and mutually beneficial partnerships with our suppliers based on the long-term cooperation with honesty. We have rigorous quality control standards to ensure material consistency, process stability, and product reliability, thereby fulfilling OEM and ODM requirements for our global clients.

WHAT WE DO?

Our company is dedicated to the R&D, and we focus on cleaning household appliances, including vacuum cleaners, steam mops, floor washers, carpet cleaners, as well as kitchen appliances. We are cooperating with many international brand clients on ODM and purchasing. We are proud to be one of the respectable industry and trade companies operating within the Ningbo region.



Our guiding principle is: Active innovation, rigorous processes, good reputation, stable quality, and outstanding customer service!



Vacuum Cleaner with Auto Dust Collection Station


SLV-DH008 Pro



Model No.& Specification

Model	SLV-DH008 Pro
Voltage	25.2V 2500mAh
Power	450W, No motor in the station
Speed control	3 speeds
Working time	18/30/55 mins
Charging time	4-5H
Vacuum	33/10.5 /7.5Kpa
Dust Cup Capacity	Machine: 0.6L Dust Self-Collect Station:2L
Noise	<78dB
Filtration	Stainless Steel Strainer+HEPA+HEPA Protection Sponge+Spin Dust Tool
Accessories	Standard floor brush ; sofa brush & nozzle brush; dust bag; adaptor; handy cleaning tool
Certification	CE/ EMC/RoHS/KC
Product size	for vacuum cleaner with tube and brush:130×25×25cm for total size with station: 120×25×25
Gift box size	New product, TBA
Outer carton size	no carton
N.W./G.W.	New product, TBA
20'/40'/40HQ	New product, TBA


SLV-P9



Model No.& Specification

Model	SLV-P9
Voltage	29.6V 2600mAh
Power	450W, No motor in the station
Speed control	3 speeds
Working time	25/40/60 mins
Charging time	4-5H
Vacuum	10/18/32kpa
Dust Cup Capacity	Machine: 0.8L Dust Self-Collect Station:7L
Filtration	HEPA
Accessories	Crevice tool, 2-in-1 brush
Certification	CE/CB
Product size	for total size with station: 830*590*350mm
Gift box size	New product, around 448*348*198mm
Outer carton size	no carton
N.W./G.W.	New product, TBA
20'/40'/40HQ	1202/2174/2448pcs

SLV-602W



Model No.& Specification

Model	SLV-602W
Voltage	11.1V 2200mAh
Power	Machine:120W Dust Self-Collect Station: 650W
Speed control	2 speeds
Working time	9/23min
Charging time	4.5H
Vacuum	16/9Kpa
Dust Cup Capacity	Machine: 0.1L Station: 0.8L(Paper bag)
Filtration	Stainless Steel + H13 HEPA
Accessories	2 in 1 brush
Product size	for main unit: 73x100x442mm for vacuum cleaner with tube and brush: 235x210x1060mm for total size with station: 235x360x1090mm
Gift box size	687*400*147mm
Outer carton size	700*415*300mm (2 in 1)
N.W./G.W.	for main unit :1.26kgs for station: 2.62kgs for total: 3.88kgs
20'/40'/40HQ	583/1116/1368pcs

SLV-802



Model No.& Specification

Model	SLV-802
Voltage	14.8V 2200mAh
Power	Machine:200W Dust Self-Collect Station: 650W
Speed control	2 speeds
Working time	15/35 mins
Charging time	4.5H
Vacuum	20Kpa in high, 10kpa in low
Dust Cup Capacity	Machine: 0.5L Dust Self-Collect Station:2.5L
Filtration	dual cyclone
Accessories	Crevice tool, 2-in-1 brush
Certification	GS/CE/RoHS/EMC
Product size	1050x260x240mm
Gift box size	530X450X280mm
Outer carton size	no carton
N.W./G.W.	4/5kgs
20'/40'/40HQ	420/840/1080pcs

Cordless Vacuum Cleaner

Model No.& Specification

Model	SLV-258
Voltage	29.6V 2500mAh
Power	BLDC 500W
Speed control	3 speeds
Working time	70min/30min/15min
Charging time	4-5H
Vacuum	7.0/15/30Kpa
Noise	< 82dB
Filtration	Cyclone mesh filter+H13 HEPA
Dust Cup Capacity	0.7L
Accessories	wall bracket, 2 in 1 brush, crevice nozzle
Certification	CE/CB
Product size	1060x230x218mm
Gift box size	630*320*110mm (no carton)
N.W./G.W.	2.25 (Main machine 1.50)/3.25KGS
20'/40'/40HQ	TBA

Model No.& Specification

Model	SLV-VC2301
Voltage	29.6V 2500mAh. detachable battery pack
Power	BLDC 500W
Speed control	3 speeds
Max Vacuum	31Kpa
Noise	≤70dBA
Working time	60/35/15min
Charging time	4-5h
Dust Cup Capacity	0.7L (1.1L FULL SIZE)
Filtration	Pre Filtration:HEPA, H11 Post filtration: foam
Accessories	1.adapter 2.crevise tool 3.wall mount
Certification	CE/CB
Product size	205*250*1160mm
Gift box size	445*275*185mm
Outer carton size	585*455*300mm
Weight	1.8KG
40HQ	2400pc

SLV-DSV107

SLV-DSV107S



Model No.& Specification

Model	SLV-DSV107	SLV-DSV107S
Voltage	DC25.9V 2200mAh	
Power	BLDC 200W	BLDC 230W
Speed control	3 speeds	
Working time	8/11/19.5kPa	8/12.5/20kPa
Charging time	49/34/18mins	38/24/14mins
Vacuum	≤79dB	
Noise	4-5H	
Filtration	0.6L	
Dust Cup Capacity	Cyclone mesh filter+ sponge filter+HEPA filter	
Accessories	wall bracket, 2 in 1 brush, crevice nozzle	
Certification	FCC/CE/RoHS	
Product size	245*255*1135mm	
Outer carton size	640*300*135mm (3 in 1)	
20'/40'/40HQ	1125/2166/2620pcs	

SLV-P11A

SLV-P11B

SLV-P11C



Model No.& Specification

Model	SLV-P11A	SLV-P11B	SLV-P11C
Voltage	22.2V 2200mAh	29.6V 2200mAh	29.6V 2200mAh
Power	BLDC 250W	BLDC 250W	BLDC 450W
Speed control	4 speeds		
Working time	10/25/40/60 mins	12/16/30/60mins	14/18/28/50 mins
Charging time	4-5H		
Vacuum	30/20/15/7 Kpa	25/19/16/11Kpa	31/18/15/10 Kpa
Noise	≤82dB		
Filtration	Metal filter, Hepa H12, outlet Hepa		
Dust Cup Capacity	0.8L		
Accessories	2 in 1 crevice brush; Long crevice tool; Wall hanger.		
Certification	FCC/CB		
Gift box size	420*330*185mm		
Outer carton size	585*345*435mm (3 in 1)		
N.W./G.W.	4.13/4.4kgs		
40HQ	2230pcs		

X1



Model No.& Specification

Model	X1 (non-detachable battery) X1 pro (detachable battery)			
DC motor Model	X1-B4	X1-B5	X1-B6	
Voltage	14.8V 2200mAh (4pcs)	18.5V 2200mAh (5pcs)	22.2V 2200mAh (6pcs)	
Power	130W DC	140W DC	150W DC	
Speed control	2 speeds	2 speeds	2 speeds	
Working time	38min/18min	40min/18min	45min/18min	
Vacuum	6.0Kpa/10kpa	6.0Kpa/11kpa	6.0Kpa/12kpa	
Noise	<76dB	<78dB	<80dB	
BLDC motor Model	X1-BL4	X1-BL5	X1-BL6	X1-BL7
Voltage	14.8V 2200mAh (4pcs)	18.5V 2200mAh (5pcs)	22.2V 2200mAh (6pcs)	25.9V 2200mAh (7pcs)
Power	180W BLDC	220W BLDC	250W BLDC	400W BLDC
Speed control	2 speeds	3 speeds	3 speeds	3 speeds
Working time	38min/15min	40min/20min/12min	42min/22min/15min	45min/25min/15min
Vacuum	7.0Kpa/19Kpa	7.0Kpa/13kpa/21Kpa	7.0Kpa/13kpa/23Kpa	7.0Kpa/13kpa/25Kpa
Noise	<76dB	<78dB	<80dB	<82dB
Charging time	4-5H			
Filtration	Multi-cyclone,Metal filter, Hepa (H12)			
Dust Cup Capacity	0.5L			
Accessories	Standard configuration: Main unit, aluminum tube, electric floor brush, adaptor, wall amount, 2 in 1 brush, crevice nozzle Optional: Mite removal brush ; Telescopic tube; Integrated stand for the whole unit			
Certification	CE/CB			
Product size	1060x230x218mm			
Gift box size	TBA (ONLY giftbox, no carton)			
20'/40'/40HQ	TBA; 40HQ: around 3000pcs			

SLV-HD006B



Model No.& Specification

Model	SLV-HD006B		
Voltage	22.2V 2000mAh	25.9V 2500mAh	29.6V 2500mAh
Power	BLDC 250W	BLDC 350W	BLDC 450W
Speed control	3 speeds		
Working time	8min/20min/30min	15min/25min/40min	15min/25min/45min
Charging time	4.5H		
Vacuum	20Kpa/ 9Kpa/ 7Kpa	26Kpa/15Kpa/8Kpa	28Kpa/19Kpa/8Kpa
Noise	80dBA	82dBA	85dBA
Filtration	Hepa		
Dust Cup Capacity	0.6L		
Accessories	2 in 1 brush, crevice nozzle		
Certification	CE/CB		
Outer carton size	703*291*157MM		
N.W./G.W.	2.9/4.0KGS		
20'/40'/40HQ	892/1849/2089 PCS		

SLV-818A

SLV-818B



Model No.& Specification

Model	SLV-818A	SLV-818B
Voltage	25.9V 2000mAh	22.2V 2000mAh
Power	BLDC 300W	BLDC 250W
Speed control	3 speeds	
Vacuum	9/15/28Kpa	10/17/27Kpa
Working time	15/30/50min	13/20/41min
Noise	71/74/79dB	
Charging time	4.5H	
Dust Cup Capacity	0.8L	
Filtration	Cyclone mesh filter+ sponge filter+HEPA filter	
Accessories	wall bracket, 2 in 1 brush, crevice nozzle	
Certification	CE/RoHS/CB/ERP	
Product size	250*230*1100mm	
Gift box size	316*142*655mm	
Outer carton size	608*326*670mm (4 in 1)	
20'/40'/40HQ	1110/2300/2700pcs	1110/2300/3000pcs

SLV-806A

SLV-806B

SLV-806C

SLV-806D



Model No.& Specification

Model	SLV-806A	SLV-806B	SLV-806C	SLV-806D
Voltage	22.2V,2000mAh		18.5V 2000mAh	
Power	250W BLDC	180W DC	200W BLDC	150W DC
Speed control	3 speeds			
Vacuum	10-28Kpa	6-12Kpa	10-25Kpa	6-11Kpa
Working time	40/22/13mins	35/22/13mins	35/22/15mins	35/20/15mins
Charging time	4-5H			
Noise	<75dB	<78dB	<75dB	<78dB
Dust Cup Capacity	0.6L			
Filtration	Cyclone mesh filter, sponge filter, HEPA filter			
Accessories	wall bracket, 2 in 1 brush, crevice nozzle			
Certification	CE/RoHS/CB/ERP			
Product size	250×200×1100mm			
Gift box size	274×117×613mm			
Outer carton size	510×280×625mm (4 in 1)			
20'/40'/40HQ	1110/2300/3152 pcs			

SLV-807A

SLV-807B

SLV-807C

SLV-807D



Model No.& Specification

Model	SLV-807A	SLV-807B	SLV-807C	SLV-807D
Voltage	22.2V 2000mAh		18.5V 2000mAh	
Power	250W BLDC	180W DC	200W BLDC	150W DC
Speed control	3 speeds			
Vacuum	10-28Kpa	6-12Kpa	10-25Kpa	6-11Kpa
Working time	40/22/13mins	35/22/13mins	35/22/15mins	35/20/15mins
Charging time	4-5H			
Noise	<75dB	<78dB	<75dB	<78dB
Dust Cup Capacity	0.6L			
Filtration	Cyclone mesh filter, sponge filter, HEPA filter			
Accessories	wall bracket, 2 in 1 brush, crevice nozzle			
Certification	CE/RoHS/CB/ERP			
Product size	250×200×1100mm			
Gift box size	274×117×613mm			
Outer carton size	510×280×625mm (4 in 1)			
20'/40'/40HQ	1110/2300/3152 pcs			

Handheld Vacuum Cleaner

Model No.& Specification

SLV-JJ622



Model	SLV-JJ622
Voltage	7.4V 2200mAh
Power	70W
Speed control	2 speeds
Working time	12/25mins
Charging time	3H
Vacuum	5/10Kpa
Noise	≤75dB
Filtration	Stainless steel mesh+HEPA (H10)
Dust Cup Capacity	13ML Max volume; 20ML Largest volume
Accessories	main unit*1 ; 2 in 1 brush*1 , typeC line*1, storage base*1
Product size	102*82*260mm with base; 40*40*250mm without base
Gift box size	279* 124*104 mm
Outer carton size:	500*300*104 mm
N.W./G.W.	0.35kgs 0.7 kgs with all accessories
20'/40'/40HQ	5848/12120/14200pcs

Corded Vacuum Cleaner

Model No.& Specification

SLV-247



Model	SLV-247
Voltage	AC100-240V 50-60Hz
Power	800W
Vacuum	17kPa
Dust Cup Capacity	0.66L(effective 0.45L)
Noise	≤80dB
Filtration	HEPA
Cord length	5m
Accessories	crevice tool
Certification	CE/CB
Gift box size	665×170×132mm
Outer carton size:	675×365×276mm (4 in 1)
N.W./G.W.	1.52kgs
40HQ	4064pcs


SLV-107



Model No.& Specification

Model	SLV-107
Voltage	AC100-240V 50-60Hz
Power	550W
Vacuum	≥15kPa
Dust Cup Capacity	0.5L
Noise	≤80dB
Filtration	HEPA
Cord length	4 Meters
Accessories	2-in-1 combination brush
Certification	CE/CB
Product size	250×225×1045mm
Gift box size	
Outer carton size:	New product, TBA
N.W./G.W.	
20'/40'/40HQ	

SLV-108



Model No.& Specification

Model	SLV-108
Voltage	AC100-240V 50-60Hz
Power	550W
Vacuum	≥15kPa
Dust Cup Capacity	1L
Noise	≤80dB
Filtration	Cyclone mesh filter, HEPA filter
Cord length	4 Meters
Accessories	2-in-1 combination brush
Certification	CE/CB
Product size	250x250x1120mm
Gift box size	
Outer carton size:	New product, TBA
N.W./G.W.	
20'/40'/40HQ	

Spot Cleaner

Model No.& Specification



Model	X5	X5 Pro (steam version)	X5 Plus (steam version)
Voltage	120V/220-240V, 50/60Hz		
Power	500W/600W	Motor power: 500W/600W Boiler power: 1200W	
Functions	Cold water	Cold water Hot water Steam+Vac	Cold water Hot water Steam+Vac Steam Only
Touch screen	X	X	√
Vacuum	>15Kpa		
Clean water tank	2600ml		
Dirty water tank	1200ml		
Noise	<78dB		
Hose length	1.77m		
Power cord length	5m		
Product size	345(L)* 250(W)*351(H)		
Gift box size	440*285*385mm		
Carton box size	449*294*396mm		
N.W./G.W.	5.8kg / 6.6kg (w/o carton box)		
20'/40'/40HQ	660/1370/1500 pcs (w/o carton box)		

Model No.& Specification

Model	SLV-W5 (steam version)	SLV-WS5 (steam version)
Voltage	120V/220-240V 50/60Hz	
Power	Motor Power: 500W Boiler Power: 1200W	
Vacuum	12kpa	
Water Tank Capacity	Clean water tank: 2000ml; Dirty water tank: 750ml	
Noise	≤88dB	
Hose length	1.2m	
Power cord length	5m	
Speed control	5 button selection function: on/off button Low temperature clean / High temperature clean Steam clean / Steam sterilization	
Accessories	Self-cleaning Brush; Standard Cleaning Brush	
Certification	CE/CB	
Gift box size	363mm*324mm*273mm	New product, TBA
Outer carton size	393mm*663mm*297mm(2 in 1)	
N.W./G.W.	4.47kgs/6.1kgs(1pc/giftbox) 12.96kgs (2pc/ctn)	
40HQ	2100pcs	New product, TBA, around 2100 pcs


SLV-AWW 101



Model No.& Specification

Model	SLV-AWW 101 (steam version)
Voltage	120V/220-240V 50/60Hz
Power	motor power: 450W boiler power: 1200W
Vacuum	>10KPA
Water Tank Capacity	Clean water tank: 1000ml; Dirty water tank: 1300ml
Noise	≤85db
Hose length	1.5m
Power cord length	3m
Speed control	Cold water Hot water Steam
Accessories	Standard cleaning brush
Certification	CE/CB
Gift box size	
Outer carton size	
N.W./G.W.	New product, TBA
20'/40'/40HQ	

SLV-EC833



Model No.& Specification

Model	SLV-EC833 (steam optional)
Voltage	120V/220-240V 50/60Hz
Power	400W ; boiler 1200W
Vacuum	14Kpa
Water Tank Capacity	Clean water tank: 1600ml; Dirty water tank: 1200ml
Hose length	1.6m
Power cord length	3m
Accessories	Standard cleaning brush
Certification	CE/CB
Gift box size	245*300*460mm
N.W./G.W.	3.5/4.0kgs
20'/40'/40HQ	857/1745/2011pcs

SLV-CX002B



Model No.& Specification

Model	SLV-CX002B
Voltage	120V/220-240V 50/60Hz
Power	400W
Vacuum	>10.5Kpa
Water Tank Capacity	Clean water tank: 1500ml; Dirty water tank: 800ml
Noise	≤84dB
Hose length	1.75m
Power cord length	5m
Accessories	Standard cleaning brush
Certification	CE/CB
Product size	385*196*300mm
Gift box size	435*255*403mm
N.W./G.W.	4/4.6kg
20'/40'/40HQ	630/1305/1450 pcs

SLV-K22



Model No.& Specification

Model	SLV-K22 (steam optional)
Voltage	120V/220-240V 50/60Hz
Power	motor power:800W boiler power: 1200W
Vacuum	14Kpa/16Kpa
Water Tank Capacity	Clean water tank:3000ml; Dirty water tank: 1500ml
Noise	82db
Hose length	1.2m
Power cord length	5m
Accessories	Standard: Regular brush head Optional: Steam brush; Wide brush; Glass brush Optional: with steam&Hot water
Certification	CE/CB
Product size	495×335×275mm
Gift box size	New product, TBA
Outer carton size	no carton
N.W./G.W.	4.4/5.0 kg
20'/40'/40HQ	420/650/800 pcs


SLV-K15 plus



Model No.& Specification

Model	SLV-K15 plus (steam version)
Voltage	120V/220-240V 50/60Hz
Power	motor power: 450W boiler power: 1200W
Vacuum	10Kpa
Water Tank Capacity	Clean water tank: 1800ml; Dirty water tank: 600ml
Noise	≤82 dB
Hose length	1.2m
Power cord length	5m
Accessories	Self-cleaning head ; Commin brush ; Long crevice nozzle ; Bracket for winding wires ; Duster cloth ; Pin
Certification	CB/CE/FCC/RoHS/ETL
Gift box size	43.5*38.5*28cm
Outer carton size	no carton
N.W./G.W.	4.4/6.1kgs
20'/40'/40HQ	620/1300/1500 pcs

SLV-767



Model No.& Specification

Model	SLV-767
Voltage	120V/220-240V 50/60Hz
Power	400W
Vacuum	≥12Kpa
Water Tank Capacity	Clean water tank: 1200ml; Detergent tank: 600ml Dirty water tank: 1000ml
Hose length	1.1m
Power cord length	3m
Accessories	Standard cleaning brush
Certification	CE/CB
Product size	300X200X300mm
Gift box size	365*320*345mm
N.W./G.W.	655×380×360mm
20'/40'/40HQ	630/1320/1540pcs

Cordless Floor Washer

Model No.& Specification

Model	SLV-GT917 lying flat at a full 180 degrees
Voltage	25.9V 2600mAh
Rated Power	120W BLDC main motor; 170W in total machine
Modes	Two modes(max mode; eco mode) water cleaning; Vacuum With self-cleaning function
Vacuum	Max 11 Kpa; eco 9 Kpa
Water Tank Capacity	Clean water tank capacity: 0.5L, warning of clean water shortage Dirty water tank capacity: 0.45L, stoppage when sewage tank is full
Noise	< 78dB
Filtration	Hepa+sponge
Working time	35mins in high speed, 45 mins in low speed
Charging time	5.5H
Accessories	Charging base, adapter, clean brush, instruction
Certification	CE/CB
Product size	1100*280*300mm
Gift box size	775*325*225mm
N.W./G.W.	NO CARTON
20'/40'/40HQ	525pcs/1092pcs/1248pcs

Model No.& Specification

Model	SLV-GT3 lying flat at a full 180 degrees
Voltage	22.2V 2600mAh
Rated Power	190W DC
Vacuum	6/9KPa
Water Tank Capacity	Clean water tank: 400ml Dirty water tank: 500ml
Modes	Two modes(max mode; eco mode) water cleaning; Vacuum With self-cleaning function
Noise	≤78dB
Filtration	HEPA , Sponge filter
Working time	36/48mins
Charging time	around 5H
Accessories	Adapter, cleaning tool, storage base
Certification	CCC/CE/CB/RoHS/UN38.3/SDS
Product size	1080*265*225mm
Gift box size	580*440*160mm
N.W./G.W.	3.5/5.5kgs
20'/40'/40HQ	710/1500 /1720 pcs

SLV-1010

SLV-1010A



Model No.& Specification

Model	SLV-1010	SLV-1010A
Voltage	21.6V 4000mAh	21.6V 2600mAh
Vacuum	≥13KPa	≥12KPa
Working time	around 45mins	around 30mins
Charging time	around 4.5H	around 3H
Rated Power	200W	
Main motor	150W BLDC	
Water Tank Capacity	Clean water tank: 700ml Dirty water tank: around 550ml	
Modes	Two modes(Auto mode; Efficient mode) With self-cleaning function	
Noise	≤78dB	
Filtration	Metal filter, Sponge filter	
Accessories	Adapter, HEPA filter, storage base	
Certification	CE/RoHS	
Product size	286*256*1100mm	
Gift box size	850*335*230mm	
N.W./G.W.	4.5/7.1kgs	
20°/40°/40HO	390/820/1000pcs	

SLV-251C



Model No.& Specification

Model	SLV-251C
Voltage	120V/220-240V,50/60Hz
Rated Power	400/600W
Vacuum	≥13Kpa/15Kpa
Water Tank Capacity	Clean water tank: 250m Dirty water tank: 300ml
Noise	<88dB
Filtration	Hepa+sponge
Cord length	6M
Accessories	crevice nozzle
Certification	CE/CB
Product size	26.3*23.7*113CM
Gift box size	57*29*12.5CM
Outer carton size	58*30*14CM
N.W./G.W.	3.6kg /4.2kg
20°/40°/40HQ	New product, TBA

Carpet Cleaner

Model No.& Specification



Model	X3	X3 Pro (steam version)	X3 Plus (steam version)
Voltage	120V/220~240V, 50/60Hz		
Motor Power	1000W		
Boiler power	X	1200W	
Functions	Cold water	Cold water Hot water Steam+Vac Steam Only	
Mode indicator	X	LED Lights	LED Screen
Vacuum	>17Kpa		
Clean water tank	3.8L		
Dirty water tank	1.6L		
Noise	<89dB		
Hose length	2500mm		
Power cord length	6m		
Product size	442(L)*325(W)*1143(H)		
Gift box size	955*360*310mm		
Carton box size	975*365*320mm		
N.W./G.W.	9.4kg/12.2kg(w/o carton box)		
Certification	CE/CB/GS/RoHS/ERP/REACH		
MOQ-40HQ	675pcs(w/o carton box)		

SLV-253



Model No.& Specification

Model	SLV-253
Voltage	120V/220-240V,50/60Hz
Power	1000W
Vacuum	≥16Kpa
Noise	≤82dB
Filtration	Hepa+sponge
Water Tank Capacity	clean water tank:2400ml dirty water tank: 1500ml
Cable length	6m
Product size	38.5*24.2*111.5CM
Gift box size	54.5*30*40CM
N.W./G.W.	TBA, AROUND 4.55kg/6.45kg
Certification	CE/GS /CB/UKCA/RoHS
20'/40'/40HQ	TBA, AROUND 1085PCS

SLV-CY168(AC)



UV Vacuum Cleaner

Model No.& Specification

Model	SLV-CY168 (AC)
Voltage	120/220-240V 50/60Hz
Power	400W
Vacuum	≥13Kpa
Cord length	5m
Dust cup capacity	≥0.6L
Noise	≤81db
Filtration	Dual/triple cup+ Muti-cone(5 cones)+ P10 filtration foam
Certification	CE
Product size	298*240*192mm
Product N.w(unit)/G.w.	1.9/2.65KGS
Gift box size	330*248*195mm
Outer carton size	338*510*395mm(4pc/ctn)
20'/40'/40HQ	1754/3571/4136pcs

SLV-CY918(AC)



Model No.& Specification

Model	SLV-CY918 (AC)
Voltage	120/220-240V 50/60Hz
Power	400W
Vacuum	≥13Kpa
Cord length	5m
Dust cup capacity	≥0.6L
Noise	≤81db
Filtration	Dual/triple cup+ Muti-cone(5 cones)+ P10 filtration foam
Certification	CE
Product size	298*240*192mm
Product N.w(unit)/G.w.	1.9/2.65KGS
Gift box size	330*248*195mm
Outer carton size	338*510*395mm(4pc/ctn)
20'/40'/40HQ	1754/3571/4136pcs

SLV-CY011(AC)




Model No.& Specification

Model	SLV-CY011 (AC)
Voltage	120/220-240V 50/60Hz
Power	350w/400w(Optional)
Vacuum	≥11Kpa
Cord length	5m
Dust cup capacity	≥0.6L
Noise	≤81db
Roller Brush Blades	3pcs brush blade/6pcs brush blade(Optional)
Rotate speed of Roller Brush	12000rpm
Filtration	Dual/triple cup+ Multi-cone(5 cones)+ P10 filtration foam
Certification	CE
Product size	290*240*235mm
Product N.w(unit)/G.w.	1.98/2.68KGS
Gift box size	320*275*250mm
20'/40'/40HQ	1123/2287/2668pcs

SLV-CY801AC

SLV-CY801DC

Model No.& Specification



Model	SLV-CY801 (AC)	SLV-CY801 (DC)
Voltage	AC 110-240V, 50/60Hz	DC 14.8V, 2500mAh
Power	400W	80W
Vacuum	≥10Kpa	15-16Kpa
Cord length	around 5 Meters	Working time: low speed:36mins High speed: 24mins*
Dust Cup Capacity	≥0.6L	
Noise	≤81dB	
Filtration	Double cup + multi-cone(5 cone) + fine filter	
Product size	298*240*192mm	
Gift box size	320*255*200mm	
Outer carton size:	330*265*215mm(1 in 1)	
N.W./G.W.	1.9/2.65 kg	
20'/40'/40HQ	1485/3080/3610 PCS	
Certification	CB/CE	

DS600



Electric mop

Model No.& Specification

Model	DS600
Description	Cordless Sweep & Vibration Mop
Power	30W, 2000mAh
Working Voltage	DC 7.4V
Mopping Frequency	1050RPM
Accessories	Pads*1 set;Measuring cup*1pcAdapter*1pc
Noise	70db
Water tank	110ml
Charging time	4h
Working time	65mins for Only Mopping; 50mins for All Function
Product size	245*275*1040 mm
Gift box size	326*119*373 mm
N.W./G.W.	2.4 kg/3.28 kg
Carton size(4pcs)	496*395*345 mm
20'/40'/40HQ	1536/3312/3904 pcS
Certificate	CE/RoHS

S260



Model No.& Specification

Model	S260
Description	Corded Steam Vibration Mop
Power	1200W
Working Voltage	AC 220V-240V
Water tank	270ml
Steam Flow	20g/min
Mopping Frequency	1050RPM
Noise	≤70dB
Product Size	260*210*1130mm
Gift Box Size	405*335*165mm
N.W./G.W.	3kgs/4kgs
Carton Size	690*420*360mm(4pcs)
20'/40'/40'HQ	1008/2096/2640pcs

D260



Model No.& Specification

Model	D260
Description	Cordless Vibration Mop
Power	35W
Working Voltage	11.1V,2000mAh
Mopping Frequency	900RMP
Noise	≤68db
Water tank	230ml
Charging time	3h
Working time	55mins
Product size	304*275*1150mm
Gift box size	352*115*398mm
N.W./G.W.	2.6kgs/3.4kgs
Carton size	480*370*415mm(4pcs)
20'/40'/40HQ	1460/3130/3560pcs
Certificate	CE/RoHS/REACH

S350



Model No.& Specification

Model	S350
Description	Cordless Vibration Mop
Power	35W,2000mAh
Working Voltage	11.1V
Water tank	300ml
Working time	55mins
Charging time	3h
Mopping Frequency	1050RPM
Noise	≤71dB
Product size	301.5*243.5*1160 mm
Gift box size	439*393*138 mm
N.W./G.W.	3.8kg/6.5kg
Carton size	580*455*415 mm
20'/40'/40HQ	1000/2000/2300pcs

D5



Model No.& Specification

Model	D5
Description	Cordless Vibration Mop
Power	30W,2000mAh
Working Voltage	DC 7.4V
Water tank	150ml
Working time	40 mins
Charging time	4h
Mopping Frequency	1050RPM
Noise	≤70dB
Product size	260*210*1170mm
Gift box size	372*132*329mm
N.W./G.W.	2.0kgs/2.71kgs
Carton size	395*345*560mm(4pcs)
20'/40'/40HQ	1464/3040/3564pcs

SLM-202501



Model No.& Specification

Model	SLM-202501
Voltage	3.7V 2000mAh
Power	4W
Water Tank Capacity	0.64L
Working time	2.5h
Charging time	8H, Type-C
Product size	1168x366x155mm
Gift box size	New product, TBA
N.W./G.W.	
20'/40'/40HQ	

SLC-RV501

Grass Cutting Robot



	Model	SLC-RV501
Key features	Working area capacity	500 m ² /1000 m ²
	Cutting mode	Straight Line
	Navigation method	RTK+Vision Fusion
	Positioning accuracy	Centimeter-level
	Planned cutting route; Multi-zone management	
	Waterproof level	IPX6
	GPS Anti-theft	Optional, based on 4G
	Max. Slope	35%
	Anti-collision system	Bumper+ AI
	Adjustable floating disc	Cutting height (manually adjustable): 30-90mm
	Connecting	WiFi & Bluetooth
	4G	Optional
	Walking speed	0~1.4m/h
	Working Temperature	4-40 C
Noise	Min Ground Clearance	84mm
	Remote Control Range	15m(Base on BLE)
Battery & charge	Noise level	60dBA
	Battery capacity	6Ah /9Ah @18V
	Charge time	90 mins/150mins
	Wireless Auto-recharging	
Cutting	Area capacity per hour	around 150 m ²
	Cutting area per charge	around 300 m ²
	Cutting height (manually adjustable)	30-90mm
	Cutting width	22cm
Wheels	Cutting disc	3 pivoting razor blades
	Front wheel	2 driving wheel
Walking Motor	Rear wheel	2 Wheel
	Motor Type	BLDC
	Voltage/Power	18V/31W
	Reduction Ratio	49:1
	Rotating speed	34rpm
	Output Torque	3.5Nm
Safety	PIN code; Lock system; Alarm system; Rain sensor	
User friendly	Wi-Fi; OTA; App; display LED; Input; Auto schedule; App tutorial indicates; Smart pairing	
Dimensions	Robot	Dimensions(mm):659*463*264
		Weight(kgs):13.5
	Charging Station with charging adapter	Dimensions(mm):785*527*291
		Weight(kgs):3.6
	Package	Dimensions(mm):880x555x366
Container information		Gross weight (kgs):
	20GP	120 pcs
	40HQ	312 pcs

SLF-1703ADV



Air Fryer

Model No.& Specification

Model	SLF-1703ADV
Voltage	220-240~, 50/60Hz
Power	1500W
Basket volume	4.5L+6.5L frying pot with non-stick coating
Temperature	Adjustable temperature up to 200°C
13 preset programs	
Sync cook setting Match cook setting; Flexible cooking zones	
SS304 heating element Non slip feet Cool touch handle	
Over-heat protection Automatic shut-off with ready alert 60mins timer automatically shut off With microswitch for pull out the fryer pot to watch the food any time safety	
Gift box size	344*336*506mm
Outer carton size:	359*351*524mm (1 in 1)
20'/40'/40HQ	384/792/990 pcs

SLJ-TRY100



Juicer

Model No.& Specification

Model	SLJ-TRY100
Speed	100-110 rpm
Power	120V/220~240V,100W
Power cord	≥0.76m (1m)
Certification	CE/RoHS
Types of fruits, vegetables for juicing: Apples, oranges, pears, pineapples, carrots, celery, tomato etc.; Strawberry, banana ice cream etc;	
Patented Eccentric structure design, more feeding space, lower noise,high efficiently working	
Overload auto reverse setting,more safe	
Auto juice & dregs separation	
Detachable design,easy to wash,more comfortable	
Fast & slow,two-speed switch,suitable for different ingredients>manual return knob,to meet different usage scenarios	
With slicing and shred function(1. Thick slices 2.Medium shreds 3. Super shreds)	
Packing method	Gift Box + Master Carton
Outer carton size	595*205*275mm
G.W. (KGS)	3.7 kgs
40HQ	1926 pcs

SLJ-TRJ800



Model No.& Specification

Model	SLJ-TRJ800
Speed	20000rpm
Power	120V 60Hz ,800W
SS brushed shell Apples, oranges, pears, pineapples, carrots, celery, tomato etc.; Strawberry, banana ice cream etc;	
Patented Axis crushing technology & Buckle structure design, with low noise & high juice yield	
Auto juice & dregs separation	
Detachable design,easy to wash,more comfortable	
Fast & slow,two-speed switch,suitable for different ingredients.	
Outer carton size	306 x 206 x 306 mm (1pc)
G.W. (KGS)	2.52 kg

SLJ-D56



Model No.& Specification

Model	SLJ-D56
Speed	20000rpm
Power	120V 60Hz ,250W
SS brushed shell Apples, oranges, pears, pineapples, carrots, celery, tomato etc.; Strawberry, banana ice cream etc;	
Patented Axis crushing technology & Buckle structure design, with low noise & high juice yield	
Auto juice & dregs separation	
Detachable design,easy to wash,more comfortable	
Fast & slow,two-speed switch,suitable for different ingredients.	
Outer carton size	311 x 240 x 330 mm (1pc)
G.W. (KGS)	2.6 kg

SLJ-TRJ102



Model No.& Specification

Model	SLJ-TRJ102
Voltage	7.4V Type-C
Capacity	18 Oz
Sip Lid	One handed, easy-open sip lid Blend and drink in the same vessel
Easy to Carry	hinged carry handle
Easy to Clean	BPA free and dishwasher safe. Self-clean with a 30 second blend cycle with water and a drop of dish soap
Brown Box:	New product, TBA
Outer carton size:	
G.W. (KGS)	

SLJ-TRJ103



Model No.& Specification

Model	SLJ-TRJ103
2 preset programs for smoothies & crushed ice	
Power	1000W
Capacity	24 Oz
Nutrient extraction	Extract a drink containing vitamins and nutrients from fruits and vegetables.
Frozen blending	Crush ice and pulverize frozen ingredients for resort-like frozen drinks, smoothies, frozen treats, and more.
On-the-Go Convenience	Blend directly in the 24-oz. single-serve cup, attach the spout lid, and enjoy your creations on the go
Brown Box:	New product, TBA
Outer carton size:	
G.W. (KGS)	



宁波汉阁工贸有限公司

NINGBO ALLTECH INDUSTRY & TRADE CO., LTD

地址/Add: 浙江省宁波市海曙区南站东路16号月湖银座3-2,3-3

3-2 & 3-3 Yuehu Silver Building, No.16 East Nanzhan Road

Haishu District, Ningbo, China

电话/Tel: +86-13905843614

邮箱/E-mail: gjp@cn-salon.com

网址/Website: www.altacha-hg.com